

# Sink Toward Source Algorithm Finding Maximal Flows on Extended Mixed Networks

Viet Tran Ngoc<sup>1,1</sup>, Hung Hoang Bao<sup>1</sup>, Chien Tran Quoc<sup>2</sup>,  
Thanh Le Manh<sup>3</sup>, Van Hoang Thi Khanh<sup>1</sup>,

<sup>1</sup> Lecturer of Computer Science Department, Vietnam Korea Friendship IT College  
Hoaquy, Danang, Vietnam  
{viettn, hung hb, vanhtk}@viethanit.edu.vn

<sup>2</sup> Lecturer of Computer Science Department, The university of Danang  
459 Ton Duc Thang, Danang, Vietnam  
tqchien@dce.udn.vn

<sup>3</sup> Lecturer of Computer Science Department, Hue university  
77 Nguyen Hue, Hue, Vietnam  
lmthanh1953@yahoo.com

**Abstract.** Graph is a powerful mathematical tool applied in many fields as transportation, communication, informatics, economy, ... In ordinary graph the weights of edges and vertexes are considered independently where the length of a path is the sum of weights of the edges and the vertexes on this path. However, in many practical problems, weights at a vertex are not the same for all paths passing this vertex, but depend on coming and leaving edges. The paper develops a model of extended network that can be applied to modelling many practical problems more exactly and effectively. The main contribution of this paper is sink toward source algorithm finding maximal flows on extended mixed networks.

**Keywords:** Graph, extended mixed networks, network, flow, maximal Flow, algorithm.

## 1 Introduction

Graph is a powerful mathematical tool applied in many fields as transportation, communication, informatics, economy, ... In ordinary graph the weights of edges and vertexes are considered independently where the length of a path is simply the sum of weights of the edges and the vertexes on this path. However, in many practical problems, weights at a vertex are not the same for all paths passing this vertex, but

---

<sup>1</sup> Please note that the LNCS Editorial assumes that all authors have used the western naming convention, with given names preceding surnames. This determines the structure of the names in the running heads and the author index.

depend on coming and leaving edges. Therefore, a more general type of weighted graphs, called extended weighted graph, is defined in this work. The paper develops a model of extended mixed network that can be applied to modelling many practical problems more exactly and effectively. Therefore, necessary to build a model of the extended network so that the stylization of practical problems can be applied more accurately and effectively. Based on the results of the study of the problem regarding finding the maximum flow [1], [2] and extended graphs [3], [6], the main contribution of this paper is the sink toward source algorithm finding maximal flows on extended mixed networks and improving computing performance.

## 2 Extended Mixed Network

A network is a mixed graph of the traffic  $G = (V, E)$ , circles  $V$  and roads  $E$ . Roads can be classified as either direction or non-direction. There are many sorts of means of transportation on the network. The non-direction shows two-way roads while the direction shows one-way roads. Given a group of the functions on the network as follows:

- + The function of the route circulation possibility  $c_E : E \rightarrow \mathbb{R}^*$ ,  $c_E(e)$  the route circulation possibility  $e \in E$ .
- + The function of the circle circulation possibility  $c_V : V \rightarrow \mathbb{R}^*$ ,  $c_V(u)$  the circle circulation possibility  $u \in V$ .
- +  $G = (V, E, c_E, c_V)$ : extended mixed network.

## 3 Flow of The Extended Mixed Network

Given an extended mixed network  $G = (V, E, c_E, c_V)$ , a source point  $a$  and a sink point  $z$ .

Set:  $\{f(x,y) \mid (x,y) \in E\}$ , is called the flow of network  $G$  if the requirements are met:

(i)  $0 \leq f(x,y) \leq c_E(x,y) \quad \forall (x,y) \in E$

(ii) Any value of point  $r$  is referring to neither a source point nor a sink point

$$\sum_{(v,r) \in E} f(v,r) = \sum_{(r,v) \in E} f(r,v)$$

(iii) Any value of point  $r$  is referring to neither a source point nor a sink point

$$\sum_{(v,r) \in E} f(v,r) \leq c_V(r)$$

Expression:  $v(F) = \sum_{(a,v) \in E} f(a,v)$ , is called the value of flow  $F$ .

### • The maximum problem:

Given an extended mixed network  $G = (V, E, c_E, c_V)$ , a source point  $a$  and a sink point  $z$ . The task required by the problem is finding the flow which has a maximum value.

The flow value is limited by the total amount of the circulation possibility on the roads starting from source points. As a result of this, there could be a confirmation on the following theorem.

• **Theorem 1:** Given an extended mixed network  $G = (V, E, c_E, c_V)$ , a source point  $a$  and a sink point  $z$ , then exist is the maximal flow [1].

#### 4 Sink Toward Source Algorithm

+ **Input:** Given an extended mixed network  $G = (V, E, c_E, c_V)$ , a source point  $a$  and a sink point  $z$  [2], [6]. The points in graph  $G$  are arranged in a certain order.

+ **Output:** Maximal flow  $F = \{f(x,y) \mid (x,y) \in E\}$ .

(1) **Start:**

The departure flow:  $f(x,y) := 0, \forall (x,y) \in E$ .

Points from the sink points will gradually be labelled  $L_1$  for the first time including 5 components.

Form backward label:

$L_1(v) = [\downarrow, prev_1(v), c_1(v), d_1(v), bit_1(v)]$  and can be label ( $\downarrow$ ) for the second time

$L_2(v) = [\downarrow, prev_2(v), c_2(v), d_2(v), bit_2(v)]$ .

Put labeling ( $\downarrow$ ) for sink point:

$z [\downarrow, \phi, \infty, \infty, 1]$

The set  $T$  comprises the points which have already been labelled ( $\downarrow$ ) but are not used to label ( $\downarrow$ ),  $T'$  is the point set labelled ( $\downarrow$ ) based on the points of the set  $T$ .

Begin  $T := \{z\}, T' := \phi$

(2) **Backward label generate**

(2.1) Choose backward label point:

- Case  $T \neq \phi$ : Choose the point  $v \in T$  of a minimum value. Remove the  $v$  from

the set  $T, T := T \setminus \{v\}$ . Assuming that the backward label of  $v$  is  $[\downarrow, prev_i(v), c_i(v), d_i(v), bit_i(v)], i = 1$  or  $2$ .  $B$  is the set of the points which are not backward label time and adjacent to the backward label point  $v$ . Step (2.2).

- Case  $T = \phi$  and  $T' \neq \phi$ : Assign  $T := T', T' := \phi$ . Return to step (2.1).

- Case  $T = \phi$  and  $T' = \phi$ : The flow  $F$  is the maximum. End.

(2.2) Backward label the points which are not backward label and are adjacent to the backward label points  $v$

- Case  $B = \phi$ : Return to step (2.1).

- Case  $B \neq \phi$ : Choose  $t \in B$  of a minimum value. Remove the  $t$  from the set  $B, B := B \setminus \{t\}$ . Assign backward labeled point  $t$ :

If  $(t, v) \in E, f(t, v) < c_E(t, v), bit_i(v) = 1$  put backward label point  $t$ :  
 $prev_j(t) := v$ ;  
 $c_f(t) := \min\{c_i(v), c_E(t, v) - f(t, v)\}$ , if  $d_i(v) = 0$ ,  
 $c_f(t) := \min\{c_i(v), c_E(t, v) - f(t, v), d_i(v)\}$ , if  $d_i(v) > 0$ ;  
 $d_f(t) := c_v(t) - \sum_{(i, t) \in E} f(i, t)$ ;  
 $bit_f(t) := 1$ , if  $d_f(t) > 0$ ,  
 $bit_f(t) := 0$ , if  $d_f(t) = 0$ .

If  $(v, t) \in E, f(v, t) > 0$  put backward label point  $t$ :  $prev_j(t) := v$ ;  
 $c_f(t) := \min\{c_i(v), f(v, t)\}$ ,  
 $d_f(t) := c_v(t) - \sum_{(i, t) \in E} f(i, t)$ ;  $bit_f(t) := 1$ .

If  $t$  is not backward label, then return to step (2.2).

If  $t$  is backward label and  $t = a$ , then making adjustments in increase of the flow. Step (3).

If  $t$  is backward label and  $t \neq a$ , then add  $t$  to  $T'$ ,  $T' := T' \cup \{t\}$ , and return to step (2.2).

**(3) Making adjustments in increase of the flow**

Suppose  $t$  is backward label [ $\downarrow, prev_j(t), c_i(t), d_i(t), bit_i(t)$ ]:

(3.1) Adjustment made from  $t$  back to  $z$  according to forward label

(3.1.1) Start

$$x := a, y := prev_1(a), \delta := c_1(a).$$

(3.1.2) Making adjustments

(i) Case  $(x, y)$  the road section whose direction runs from  $x$  to  $y$ : put  $f(x, y) := f(x, y) + \delta$ .

(ii) Case  $(y, x)$  the road section whose direction runs from  $y$  to  $x$ : put  $f(y, x) := f(y, x) - \delta$ .

(iii) Case  $(x, y)$  non-direction roads:

If  $f(x, y) \geq 0$  and  $f(y, x) = 0$  then put  $f(x, y) := f(x, y) + \delta$ .

If  $f(y, x) > 0$  then put  $f(y, x) := f(y, x) - \delta$ .

(3.1.3) Moving

(i) Case  $x = z$ , then step (3.2).

(ii) Case  $x \neq z$ , put  $x := y$  and  $y := k$ ,  $k$  is the second component of the backward labeled point  $x$ . Then return to step (3.1.2).

(3.2) Remove all the labels of the network points, except for the sink point  $z$ . Return to step (2).

• **Theorem 2:** If the value of the route circulation possibility and the circle circulation possibility are integers, then after a limited number of steps, the processing of the maximum network problem will end.

**Proof**

According to theorem 1, after each time of making adjustment of the flow, the flow will be increased with certain units (due to  $c_E$  is a whole number,  $c_V$  is a whole

number, and  $\delta$  is, therefore, a positive whole number). On the other hand, the value of the flow is limited above by the total amount of the circulation possibility at roads leaving the source points. So, after a limited number of steps, the processing of the maximum network problem will end.

• **Theorem 3:** Given an  $F = \{f(x,y) \mid (x,y) \in E\}$  is the flow on extended mixed network  $G$ , a source point  $a$  and a sink point  $z$ :

$$\sum_{(a,x) \in E} f(a,x) = \sum_{(x,z) \in E} f(x,z)$$

**Proof**

The points of the set  $V$ . If  $x,y$  is not previous, assign  $f(x,y) = 0$

$$\begin{aligned} \sum_{y \in V} \sum_{x \in V} f(x,y) &= \sum_{y \in V} \sum_{x \in V} f(y,x) \\ \Leftrightarrow \sum_{y \in V} \left( \sum_{x \in V} f(x,y) - \sum_{x \in V} f(y,x) \right) &= 0 \\ \Leftrightarrow \sum_{y \in V \setminus \{a,z\}} \left( \sum_{x \in V} f(x,y) - \sum_{x \in V} f(y,x) \right) &+ \left( \sum_{x \in V} f(x,z) - \sum_{x \in V} f(z,x) \right) \\ &+ \left( \sum_{x \in V} f(x,a) - \sum_{x \in V} f(a,x) \right) = 0 \\ - \sum_{(a,x) \in E} f(a,x) + \sum_{(x,z) \in E} f(x,z) &= 0 \quad \Leftrightarrow \sum_{(a,x) \in E} f(a,x) = \sum_{(x,z) \in E} f(x,z). \end{aligned}$$

• **The complexity of the algorithm:**

It is assumed that the road circulation possibility and the point circulation possibility are whole integer. After each round step, to find the roads to increase the amount of circulation on the flow, we have to approve to pass  $|E|$  roads in maximum, and in order to adjust the flow we have to approve to pass  $2 \cdot |V|$  roads, in maximum. As a result, the complexity of each time of increasing the flow is  $O(|E| + 2 \cdot |V|)$ . Mark  $v^*$  is the value of the maximum flow. The number of times to increase the flow in maximum is  $v^*$ . So the complexity of the algorithm is  $O(v^*(|E| + 2 \cdot |V|))$ .

## 5 Result of The Experiment

Given an extended mixed network graph figure 1. The network has six circles, six direction roads and three non-direction roads. The road circulation possibility  $c_E$  and the circle circulation possibility  $c_V$ . The source point is 1, the sink point is 6.




Fig. 1. Extended mixed network




Fig. 2. The departure flow 0

+ Result of the first backward label:

Sink point is 6: backward label [ $\downarrow$ ,  $\phi$ ,  $\infty$ ,  $\infty$ , 1]

Point 5: backward label [ $\downarrow$ , 6, 9, 9, 1]

Point 4: backward label [ $\downarrow$ , 6, 10, 10, 1]

Point 3: backward label [ $\downarrow$ , 4, 7, 9, 1]

Point 2: backward label [ $\downarrow$ , 5, 7, 10, 1]

Point 1: backward label [ $\downarrow$ , 3, 7,  $\infty$ , 1]

Result of the flow increasing adjustment in figure 3 and the value of the increase  $v(F) = 7$




Fig. 3. The value of the increase  $v(F) = 7$

+ Result of the second backward label:

Sink point is **6**: backward label [ $\downarrow$ ,  $\phi$ ,  $\infty$ ,  $\infty$ , 1]

Point **5**: backward label [ $\downarrow$ , 6, 9, 9, 1]


Point **4**: backward label [ $\downarrow$ , 5, 5, 3, 1]

Point **3**: backward label [ $\downarrow$ , 5, 6, 2, 1]

Point **2**: backward label [ $\downarrow$ , 5, 7, 10, 1]

Point **1**: backward label [ $\downarrow$ , 2, 7,  $\infty$ , 1]

Result of the flow increasing adjustment in figure 4 and the value of the increase  $v(F) = 14$



**Fig. 4.** The value of the increase  $v(F) = 14$

+ Result of third backward label:

Sink point is **6**: backward label [ $\downarrow$ ,  $\phi$ ,  $\infty$ ,  $\infty$ , 1]

Point **5**: backward label [ $\downarrow$ , 6, 2, 2, 1]


Point **4**: backward label [ $\downarrow$ , 6, 3, 3, 1]

Point **3**: backward label [ $\downarrow$ , 5, 2, 2, 1]

Point **2**: backward label [ $\downarrow$ , 3, 2, 3, 1]

Point **1**: backward label [ $\downarrow$ , 2, 2,  $\infty$ , 1]

Result of the flow increasing adjustment in figure 5 and the value of the increase  $v(F) = 16$



**Fig. 5.** The value of the increase  $v(F) = 16$

This is the maximum flow, because in the following backward label is not labelled - Source point is 1.

## 6 Conclusion

The article regarding building a model of an extended mixed network so that the stylization of practical problems can be applied more accurately and effectively. Next, sink toward source algorithm finding maximal flows on extended mixed networks is being built. Finally, a concrete example is presented to illustrate sink toward source algorithm.

## References

1. Tran Quoc Chien: The problem to find the maximum flow on the network. The research project on the Ministry level, B2005-16-34, Vietnam (2005)
2. Tran Quoc Chien: Weighted source-sink alternative algorithm. The university of Danang-Vietnam Journal of science and technology, 3(26), 99-105 (2008)
3. Tran Quoc Chien, Nguyen Mau Tue, Tran Ngoc Viet: Shortest path algorithm on extended graphs. Proceeding of the 6<sup>th</sup> National Conference on Fundamental and Applied Information Technology Research (FAIR), Vietnam, 522-527 (2013)
4. Taylor, M. A. P., editor: Transportation and Traffic theory in the 21<sup>st</sup> Century. Pergamon Press Amsterdam, The Netherlands (2002)
5. Ellis L. Johnson, Committee Chair, George L. Nemhauser: Shortest paths and multicommodity network flow (2003)
6. Viet Tran Ngoc, Chien Tran Quoc, Tau Nguyen Van: Improving Computing Performance for Algorithm Finding Maximal Flows on Extended Mixed Networks, Journal of Information and Computing Science, pp . 075-080. England, UK (2015)
7. Luca Trevisan: Generalizations of the Maximum Flow Problem. Stanford University-CS261: Optimization (2011)
8. Aleksander: Faster Approximation Schemes for Fractional Multicommodity Flow Problems via Dynamic Graph Algorithms. Massachusetts Institute of Technology (2009)